



Bojo Tools

Bojo Socket and Wrench Inserts



Removing and installing automobile and RV batteries has always been a hazardous operation with terminals and grounded mountings/bodywork in close proximity.

The danger of shorting and sparks due to inadvertent contact has caused many serious injuries and vehicle fires. The amperage available in a standard auto battery is easily sufficient to melt standard metal wrenches.



All composite wrenches and all composite inserts.



3 Piece Kit
(10mm, 12mm, 13mm)
P/N ITH-BWK3-XNGL



Single or in kits.



P/N WI-5M-XNGL


The new Bojo battery safety kit enables a faster and safer approach to working with vehicle batteries and the tools and inserts are more than capable of exerting sufficient torque to secure both terminals and clamp bolts when threads are in good condition.

Damaged bolts and fastenings should always be replaced upon re-installation. The 'feel' inherent in our composite tools gives a good guide that adequate torque has been applied, greatly reducing the danger of broken lugs and terminals.

NOT WARRANTED FOR HIGH VOLTAGE USE
Keeping fingers and metal tools away from component edges reduces risk of operator injury and electrical shorting.

Loosen battery terminal, then pry off with opposite side.

Composite Wrench Tools



Essential workshop kit for the service, repair and assembly of electrical/electronic assemblies.

Bojo Tools

All Plastic Socket/Box Wrench Inserts and All Plastic Wrenches



"EXTREME EDGE PLASTIC TECHNOLOGY"
Plastic Wrench/Socket Inserts

"All Tools Made From Strong Engineering Plastic"
All Plastic Wrenches



Fits sockets & wrenches to give a strong, all plastic option.

Metric Sizes

SAE Sizes

Ultra strong plastic inserts fit standard sockets and wrenches to produce a cushioned application of torque to nuts and bolts in areas where evidence of work and re-work is undesirable. Ideal for use with anodized and chrome finishes, these products help avoid cosmetic damage in final assembly or maintenance which can ruin hours of work and preparation by marring delicate coatings.

The utmost in high-strength plastic technology is used in this range of wrenches which have unique applications where non-marring and/or non-conductive properties are essential. These tools are suitable for low torque applications but are still immensely strong and durable.

Battery terminals and most trim and bodywork bolts are within the capabilities of these tools making for safer maintenance operations and reduced cosmetic damage to trim, custom finished components and re-work operations.



P/N WI-12-8-XNGL



P/N WI-14-10-XNGL



P/N WI-16-12-XNGL



P/N WI-17-13-XNGL




P/N WI-19-15-XNGL



P/N WI-21-17-XNGL



P/N WI-1/2"-3/8"-XNGL



P/N WI-9/16"-7/16"-XNGL



P/N WI-5/8"-1/2"-XNGL



P/N WI-11/16"-9/16"-XNGL



P/N WI-11/16"-9/16"-XNGL

SAE Socket Size Description


- P/N WI-3/8"-1/4"-XNGL (3/8" reduces to a protected 1/4")
- P/N WI-9/16"-7/16"-XNGL (9/16" reduces to a protected 7/16")
- P/N WI-5/8"-1/2"-XNGL (5/8" reduces to a protected 1/2")
- P/N WI-11/16"-9/16"-XNGL (11/16" reduces to a protected 9/16")

Metric Socket Size Description


- P/N WI-12-8-XNGL (12mm reduced to 8mm)
- P/N WI-14-10-XNGL (14mm reduced to 10mm)
- P/N WI-16-12-XNGL (16mm reduced to 12mm)
- P/N WI-17-13-XNGL (17mm reduced to 13mm)
- P/N WI-19-15-XNGL (19mm reduced to 15mm)
- P/N WI-21-17-XNGL (21mm reduced to 17mm)

*Not for high torque applications

"Every socket/wrench insert is embossed with sizes on bottom to ensure easy usage and storage."




Metric sizes



5 Piece Kit Metric Wrenches
 (Includes 6mm, 8mm, 10mm, 12mm, 13mm)

SAE sizes



3 Piece Kit Standard Wrenches
 (Includes 3/8", 7/16", 1/2")

Used for low torque, non-conducting applications. Strong plastic construction allows installation and removal of battery terminal cables.